

# Venice

The perfect sun umbrella for NZ conditions





The perfect outdoor umbrella for tough commercial environments and windy locations.



What sets our elegant, attractive Venice umbrella apart is the uniquely designed, heavy duty 12mm fibreglass canopy arms. These fibreglass arms can bend and flex making the umbrella super durable and able to withstand wind and rough treatment. This sun umbrella also features strong resin and stainless steel parts and an easy to use rope and pulley system for opening and closing.

Our Venice Tilt umbrella has been specially fitted with a winder operated tilt system, which allows you to tilt the canopy at a 60 degree angle - giving you flexible shade coverage as the sun moves across the sky.





### Venice advantages

- · Lightweight and extremely durable fibreglass arms
- Strong 38mm dia. aluminium pole with 2.2mm wall thickness
- · Venice 5 year back-to-base frame warranty
- Venice Tilt 3 year residential back-to-base frame warranty
- European made acrylic canvas fabric with 10 year warranty
- · Heavy duty resin and stainless steel parts
- Post can be split into two halves for easy storage/transport
- Easy to open and close with rope and pulley system
- Rust free aluminium and fibreglass frame







Venice Tilt



5yr warranty for





Durable stainless steel pulleys & fixings



Super strong fibreglass arms & joints



High quality rope & pin opening system



Marine grade quality & stainless steel hardware



Strong 60 degree tilting mechanism



Durable winder system

## Optional accessories



Concrete filled base - silver/black 25kg A strong and durable concrete filled plastic base with aluminium spigot.



Concrete filled base - silver/black 40kg (double stacked)

25kg concrete filled plastic base with an extra 15kg weight for extra stability.



Premium wheeled base 25kg High quality base using galvanised steel with a stainless steel spigot.



Premium wheeled base 45kg (double stacked)

25kg premium wheel base with an extra 20kg plate for extra stability.

You can use your umbrella with a freestanding base or install it using our stainless steel removable spigot system.



Installation kit
For installation onto
a wooden deck or
concrete patio.



Protective cover bag (Charcoal) Highly recommended

Highly recommended and easy to use. Will double the life of your umbrella fabric.





#### European made acrylic canvas

Our premium solution-dyed acrylic canvas comes with a 10 year warranty and has the best available colour fastness rating of 7-8 out of 8<sup>4</sup>. It also has the highest possible rating of UPF 80, cutting out the maximum amount of harmful UV light for excellent sun protection.

# Specifications & technical information









2.2m Square	2.6m Octagonal	3.1m Octagonal	2.6m Octagonal Tilt


		o o otagoa.	orm ootagona.	
Dimensions of open umbrella				
a: Width of canopy (cm)	220 x 220	¹260Ø	¹315 <sup>Ø</sup>	¹260 <sup>ø</sup>
b: Height to top of umbrella (cm)	270	270	270	270
c: Canopy edge height (cm)	200	195	200	195
Canopy shade area (m2)	4.8	4.8	7.0	4.8
Dimensions of closed umbrella				
d: Closed ground clearance (cm)	85	110	85	110
Closes above tables?	Yes	Yes	Yes	Yes
Wind rating guide				
Installed wind rating <sup>2</sup>	60kph	80kph	50kph	³40kph

<sup>1</sup>Measured from point to point. All measurements are rounded and are subject to change. <sup>2</sup>Wind damage is not covered by the warranty. <sup>3</sup>When used at horizontal setting. <sup>4</sup>Colours with red colour pigmentation (red, orange, yellow etc) will have lower colour fastness than other colours and will show some fading earlier.

#### Fabric colours

(Fabric colours may vary slightly from printed swatches shown).





#### Shade7 showroom/factory:

1096 Great South Rd, Mt Wellington, Auckland 1060, NZ +64 (0) 9 570 1112 / sales@shade7.co.nz / www.shade7.co.nz